


## **Numatic International Spare Parts**

**Model No:** TGB 3045 (& HGB) TOP TANK ASSEMBLY EXPLODED VIEW

Internal Code: 903638  
DRAWING: DRW-21692 ISS:A21  
07/09/2021



## **Numatic International Spare Parts**

**Model No:** TGB 3045 (& HGB) TOP TANK ASSEMBLY EXPLODED VIEW

| ITEM: | PART No: | Description                                                 | Comments | QTY |
|-------|----------|-------------------------------------------------------------|----------|-----|
| 1     | N/A      | TGB3045 TOP TANK MOULDING                                   |          | 1   |
|       | 904727   | HGB3045 TOP TANK MOULDING (BLACK)                           | HGB      |     |
| 3     | 237381   | INTEGRATED CHASSIS SEPARATOR                                |          | 1   |
| 4     | 237526   | 38MM RED DRAIN HOSE CONNECTOR                               |          | 1   |
| 5     | 237018   | 38MM DRAIN HOSE CONNECTOR                                   |          | 1   |
| 6     | 206116   | BLACK NUT                                                   |          | 2   |
| 7     | 237718   | HOSE GUIDE                                                  |          | 1   |
| 8     | 237090   | SEPARATOR FLOAT MOULDING (MK 2)                             |          | 1   |
| 9     | 219852   | NO6 X 1/2 LONG POZI PAN STAINLESS STEEL SELF TAP SCREW      |          | 4   |
| 10    | 219569   | NO8 X 1/2 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW |          | 4   |
| 11    | 219310   | RUBBER WASHER                                               |          | 2   |
| 12    | 219919   | 32MM-50MM STAINLESS STEEL HOSE CLIP                         |          | 1   |
| 13    | 206315   | TUBE END PLUG                                               |          | 3   |
| 14    | 206265   | TT/B 345 BARREL FILTER                                      |          | 1   |
| 15    | 208591   | NEW SEPARATOR GASKET                                        |          | 1   |
| 16    | N/A      | 35MM X 690MM LONG 3:1 STRETCH HOSE (SHORT & LONG CUFF)      |          | 1   |
| 17    | 392200   | FILTER GASKET RING                                          |          | 1   |
| 18    | 902919   | CLIP MOULDING (RED)                                         |          | 2   |
| 19    | 906070   | MESHLESS FILTER BASKET                                      |          | 1   |
| 20    | N/A      | 35MM X 250MM STRETCH HOSE (3:1) C/W ADJUSTABLE CUFF + CAP   |          | 1   |
| 21    | 237382   | ACETAL HOSE CLIP MOULDING                                   |          | 1   |
| 22    | 291135   | M5 X 10MM LONG STAINLESS STEEL POZI PAN SEMS SCREW          |          | 2   |
| 23    | 905520   | VAC HOSE 580MM X Ø38MM                                      |          | 1   |

## Numatic International Spare Parts


Model No: TTB3045 NX BOTTOM TANK ASSEMBLY EXPLODED DRAWING

NB: FOR WIRING SEE DRAWING: 913984 - DRW-36752

TELEMATICS CONFIGURATION - DRW-40720, DRW-40721

913984

DRAWING: DRW-36510 ISS:A13  
09/03/2023



## Numatic International Spare Parts

Model No: TTB3045 NX BOTTOM TANK ASSEMBLY EXPLODED DRAWING


| ITEM: | ITEM No: | DESCRIPTION                                                          | COMMENTS             | Default/QTY. |
|-------|----------|----------------------------------------------------------------------|----------------------|--------------|
| 1     | N/A      | TTB.3045.NX BOTTOM TANK MOULDING (GRAPHITE)                          |                      | 1            |
| 2     | 914293   | WEIGHTS SPACER (PP)                                                  |                      | 1            |
| 3     | 208564   | FILLER CAP SEALING RING                                              |                      | 1            |
| 4     | 237174   | FILLER CAP WITH FILLER HOSE HOLE                                     |                      | 1            |
| 5     | 903695   | 28MM X 270MM LONG 3:1 STRETCH HOSE C/W RED CAP & STRAP               |                      | 1            |
| 6     | 219569   | No8 X 1/2 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW          | Torque Setting 2.6NM | 6            |
| 7     | 913966   | NX3045 SECONDARY PCB ASSEMBLY                                        | Wired version        | 1            |
| 8     | 913965   | NX3045 MAIN PCB ASSEMBLY                                             | Wired version        | 1            |
| 9     | 905074   | GASKET-MODULE-ELECTRONICS                                            |                      | 2            |
| 10    | 913958   | 3045 NX BATTERY COMPARTMENT                                          |                      | 1            |
| 11    | 913686   | BATTERY.37.8100                                                      |                      | 2            |
| 12    | 208382   | MAGNET(19MM O/D)                                                     |                      | 3            |
| 13    | 910635   | BATTERY RETAINER                                                     |                      | 2            |
| 14    | 910636   | BATTERY RETAINER CAP                                                 |                      | 2            |
| 15    | 914505   | M4 X 25MM LG. POZI CSK S-ST MC SCREW NYLON PATCH                     | Torque Setting 1.6NM | 5            |
| 16    | 913960   | NX 3045 BATTERY COMPARTMENT COVER                                    |                      | 1            |
| 17    | 219720   | M5 X 30MM LONG STAINLESS STEEL POZI PAN SCREW                        |                      | 2            |
| 18    | 206599   | SPRING 10.65MM OD 16.5MM FREE LENGTH                                 |                      | 2            |
| 19    | 291035   | M5 NYLON INSERT NUT (STAINLESS STEEL)                                | Torque Setting 2.6NM | 6            |
| 20    | 208956   | SILENCER FOAM TUBE 150MM                                             |                      | 1            |
| 21    | 208583   | DIP MOULDED ELBOW (MAINS VERSION)                                    |                      | 1            |
| 22    | 901539   | ELBOW ANGLE CONNECTOR 3/8 PARALLEL THREAD C/W O-RING TO 12MM PUSH IN |                      | 1            |
| 23    | 904403   | BARBED RIVET BLACK                                                   |                      | 2            |
| 24    | 903341   | 32MM HOSE CAP RED (C/W 8MM HOLE)                                     |                      | 1            |
| 25    | 213025   | DUMP HOSE                                                            |                      | 1            |
| 26    | 902133   | SPRING WIRE CLAMP (YDNAC-Y8010356)                                   |                      | 1            |
| 27    | 904109   | FLOAT MOULDING                                                       |                      | 1            |
| 28    | 904108   | FLOAT STOP MOULDING                                                  |                      | 2            |
| 29    | 291135   | M5 X 10MM LONG STAINLESS STEEL POZI PAN SEMS SCREW                   | Torque Setting 2.6NM | 5            |
| 30    | 901916   | 28mm HOSE CLIP                                                       |                      | 1            |
| 31    | 291126   | M8 X 120 LONG HEX BOLT STAINLESS STEEL                               |                      | 4            |
| 32    | 219716   | M8 FORM G STAINLESS STEEL WASHER                                     |                      | 8            |
| 33    | 904283   | CABLE RESTRAINT                                                      |                      | 1            |
| 34    | 291132   | M5 X 16MM LONG STAINLESS STEEL POZI PAN SEMS SCREW                   | Torque Setting 2.6NM | 2            |
| 35    | 903612   | TGB 3045 HANDLE MOUNT WELD ASSEMBLY Z/PL                             |                      | 1            |
| 36    | 219558   | M5 STAINLESS STEEL NUTSERT                                           |                      | 2            |
| 37    | 219639   | M8 STAINLESS STEEL NYLON INSERT NUT                                  | Torque Setting 10NM  | 4            |
| 38    | 903539   | HANDLE MOUNT COVER PAINTED SILVER                                    |                      | 1            |
| 39    | 913964   | 3045 NX HANDLE MOUNT LEFT COVER PAINTED SILVER                       |                      | 1            |
| 40    | 237754   | 35-38MM HOSE CLIP                                                    |                      | 2            |
| 41    | 902324   | RED SQUEEGEE LIFT HANDLE                                             |                      | 1            |
| 42    | 219687   | M4 STAINLESS STEEL NYLON INSERT NUT                                  |                      | 1            |
| 43    | 219897   | M10 STAINLESS STEEL NYLON INSERT NUT                                 |                      | 1            |
| 44    | 914266   | M10 X 30 X 1.5 A4 S/ST FENDER WASHER                                 |                      | 2            |
| 45    | 915176   | M10 X 30MM STAINLESS STEEL HEX SCREW                                 |                      | 1            |
| 46    | 901758   | ET SQUEEGEE LIFTING WIRE                                             |                      | 1            |
| 47    | 291118   | M5 STAINLESS STEEL WASHER 19MM OD                                    |                      | 1            |
| 48    | 219686   | M4 X 20MM LONG STAINLESS STEEL POZI PAN MACHINE SCREW                |                      | 1            |
| 49    | 900986   | NYLON GROMMET NUT (PLASTIC INSERT TO SUIT No 8 PLASTITE SCREW)       |                      | 4            |
| 50    | 208799   | TT MOTOR PLATE GASKET                                                |                      | 1            |
| 51    | 219644   | M5 FORM G STAINLESS STEEL WASHER                                     |                      | 14           |
| 52    | 219568   | NO8.3/4 INCH LG.POZI-PAN-SCREW,STAINLESS STEEL,PLASTITE              | Torque Setting 2.6NM | 4            |
| 53    | 914296   | 3045NX AV MOUNT VAC MOTOR PLATE GASKET                               |                      | 1            |
| 54    | 914298   | WDS 710 ANTI VIBRATION MOUNT (710-151.50555A2)                       |                      | 4            |
| 55    | 902275   | VAC PLATE GASKET                                                     |                      | 1            |
| 56    | 392449   | HANDLE MOUNT LINK PLATE PAINT SILVER                                 |                      | 2            |
| 57    | 291020   | M5 STAINLESS STEEL EXTERNAL SHAKEPROOF LOCK WASHER                   |                      | 4            |
| 58    | 915298   | VAC PLATE REAR GASKET                                                |                      | 1            |
| 59    | 907553   | VAC MOTOR PLATE MOULDING                                             |                      | 1            |
| 60    | 915308   | CINDERSON B74-LS4015020K-113 200W 36V VAC MOTOR)                     |                      | 1            |
| 61    | 915303   | CINDERSON VAC MOTOR MOUNT PLATE (TTB3045NX)                          |                      | 1            |
| 62    | 915483   | TTB3045NX CINDERSON VAC MOTOR PLATE (FRONT)                          |                      | 1            |
| 63    | 915302   | VAC MOTOR GASKET (TTB3045NX)                                         |                      | 1            |
| 64    | 219497   | M5 NYLON WASHER                                                      |                      | 4            |
| 65    | 915659   | WEIGHTED PLATE ASSEMBLY TTB3045NX - DIP MOULDED                      |                      | 1            |
| 66    | 291131   | M5 X 12MM LONG STAINLESS STEEL POZI PAN SEMS SCREW                   |                      | 4            |
| 67    | 915765   | TTB3045NX BOTOM TANK SELF ADHESIVE TAPE                              |                      | 1            |

## Numatic International Spare Parts

**Model No:** TGB 3045 (& HGB) CHASSIS ASSEMBLY EXPLODED VIEW

NB: FOR WIRING SEE DRAWING: DRW-22779

Internal Code: 903635  
DRAWING: DRW-22933 ISS:A15  
04/02/2022



## Numatic International Spare Parts

**Model No:** TGB 3045 (& HGB) CHASSIS ASSEMBLY EXPLODED VIEW


| ITEM: | PART No: | DESCRIPTION                                                      | COMMENTS:                | QTY. |
|-------|----------|------------------------------------------------------------------|--------------------------|------|
| 1     | 219644   | M5 FORM G STAINLESS STEEL WASHER                                 |                          | 2    |
| 2     | 219647   | M6 FORM G STAINLESS STEEL WASHER                                 |                          | 5    |
| 3     | 219642   | M6 STAINLESS STEEL NYLON INSERT NUT                              |                          | 1    |
| 4     | 219568   | NO8.3/4 INCH LG.POZI-PAN.SCREW.STAINLESS STEEL.PLASTITE          |                          | 2    |
| 5     | 902353   | M6 EXTERNAL SHAKEPROOF WASHER STAINLESS STEEL                    |                          | 5    |
| 6     | 291125   | M6 X 40 LONG HEX BOLT STAINLESS STEEL                            |                          | 1    |
| 7     | 219569   | NO8.1/2 INCH. LG.POZI-PAN.SCREW.STAINLESS STEEL.PLASTITE         |                          | 17   |
| 8     | 219578   | M8 FORM A STAINLESS STEEL WASHER                                 |                          | 2    |
| 9     | 901006   | FILTER MOUNTING BRACKET                                          | DETAIL A                 | 1    |
| 10    | 901280   | LATCH BLOCK BOTTOM MOULDING                                      |                          | 1    |
| 11    | 901279   | LATCH BLOCK TOP MOULDING                                         |                          | 1    |
| 12    | 206964   | SLIDE NYLON SPACER                                               |                          | 4    |
| 13    | 206954   | SPIRO SPACER                                                     |                          | 2    |
| 14    | 208312   | IGUS BEARING (GFM 101205)                                        |                          | 6    |
| 15    | 208619   | FLOOR TOOL SPRING                                                |                          | 1    |
| 16    | 219903   | M10 FORM A STAINLESS STEEL WASHER                                |                          | 4    |
| 17    | 901558   | M5 X 60MM STAINLESS STEEL POZI PAN MACHINE SCREW                 |                          | 3    |
| 18    | 219633   | M5 STAINLESS STEEL NYLON INSERT NUT                              |                          | 3    |
| 19    | 206713   | 80MM DIAMETER WHITE WHEEL                                        |                          | 2    |
| 20    | 208888   | EXTENDED STRAINER                                                |                          | 1    |
| 21    | 901543   | 12MM SWIVEL ELBOW PUSH FIT TO 10MM HOSE TAIL BALL VALVE ASSEMBLY |                          | 1    |
| 22    | 208578   | DECK LOCK SPRING                                                 |                          | 1    |
| 23    | 208638   | 160mm WHEEL WITH POLYURETHENE TYRE                               |                          | 2    |
| 24    | 206953   | DETENT PINS                                                      |                          | 2    |
| 25    | 304356   | FLOOR TOOL PIVOT TUBE                                            |                          | 1    |
| 26    | 304359   | TT/TTB/4045/4055 SQUEEGEE MOUNT WELD ASSEMBLY                    |                          | 1    |
| 27    | 304466   | FLOOR TOOL BRACKET ASSEMBLY (TT/TTB4045/4055)                    |                          | 1    |
| 28    | 903589   | TT/B PLASTIC CHASSIS                                             |                          | 1    |
|       | 904902   | HGB PLASTIC CHASSIS (BLACK)                                      | HGB                      |      |
| 30    | 903575   | AXLE BAR ST/ST 10MM DIA. 75MM LONG                               |                          | 1    |
| 31    | 903576   | AXLE BAR ST/ST 12.7MM DIA. 60MM LONG                             |                          | 2    |
| 32    | 903577   | AXLE BAR ST/ST 10MM DIA. 68MM LONG                               |                          | 2    |
| 33    | 903597   | AXLE CLIP                                                        |                          | 4    |
|       | 905060   | AXLE CLIP (BLACK)                                                | HGB                      |      |
| 35    | 219925   | M6 x 25MM LONG STAINLESS STEEL HEX SCREW                         |                          | 5    |
| 36    | 903594   | TAP PLATE                                                        |                          | 2    |
| 37    | 903596   | AXLE PLATE                                                       |                          | 6    |
| 38    | 903573   | NYLON TUBE 12MM OD X 10MM ID (96MM +/-1.0)                       |                          | 1    |
| 39    | 903566   | M8X16MM LONG STAINLESS STEEL SOCKET BUTTON HEAD BOLT             |                          | 1    |
| 40    | 903580   | SILICON TUBE 640MM LONG X 8MM I/D X 14.4MM OD                    |                          | 1    |
| 41    | 903565   | M8 STAINLESS STEEL HEADED NUTSERT                                |                          | 1    |
| 42    | 903581   | SILICON TUBE 155MM LONG X 8MM I/D X 14.4MM OD                    |                          | 1    |
| 43    | 208827   | STRAINER BLACK TOP                                               | PART OF ITEM 20 (208888) | 1    |
| 44    | 208890   | 68MM EXTENDED STRAINER CLEAR BOWL                                | PART OF ITEM 20 (208888) | 1    |
| 45    | 208889   | EXTENDED STRAINER 50 MESH SCREEN                                 | PART OF ITEM 20 (208888) | 1    |
| 46    | 208830   | STRAINER GASKET                                                  | PART OF ITEM 20 (208888) | 1    |
| 47    | 902520   | M8 INTERNAL WASHER SHAKEPROOF STAINLESS STEEL                    |                          | 1    |
| 48    | 904440   | DECK LATCH BAR                                                   |                          | 1    |
| 49    | 219465   | P-CLIP                                                           |                          | 3    |

## Numatic International Spare Parts

Model No: TTB 3045 NX HANDLE ASSEMBLY EXPLODED DRAWING

913989, 914049, 919641  
DRAWING: DRW-36522 ISS:A06  
04/09/2024

NB: FOR WIRING SEE DRAWING: 913989 - DRW-36752  
914049 - DRW-40720, DRW-40721



## Numatic International Spare Parts

Model No: TTB 3045 NX HANDLE ASSEMBLY EXPLODED DRAWING


| ITEM NO. | Part no. | DESCRIPTION                                               | COMMENTS                                                                          | QTY. |
|----------|----------|-----------------------------------------------------------|-----------------------------------------------------------------------------------|------|
| 1        | 237692   | HANDLE CABLE COVER L/H                                    |                                                                                   | 1    |
| 2        | 237693   | HANDLE CABLE COVER R/H                                    |                                                                                   | 1    |
| 3        | 219642   | M6 STAINLESS STEEL NYLON INSERT HALF NUT                  | Torque Setting 8NM                                                                | 1    |
| 4        | 903546   | HANDLE PLUG MOULDING (RED)                                |                                                                                   | 1    |
| 5        | 903545   | ADJUSTMENT LEVER MOULDING (RED)                           |                                                                                   | 1    |
| 6        | 229461   | 440MM HANDLE LOCKING ROD                                  |                                                                                   | 1    |
| 7        | 903603   | TGB/TTG 430MM PROCESSED ALU HANDLE PAINT SILVER           |                                                                                   | 1    |
| 8        | 900398   | HANDLE CASTING MACHINED (HNS VERSION)                     |                                                                                   | 1    |
| 9        | 291125   | M6 X 40 LONG HEX BOLT STAINLESS STEEL                     | Torque Setting 8NM                                                                | 4    |
| 10       | 291131   | M5 X 12MM LONG STAINLESS STEEL POZI PAN SEMS SCREW        | Torque Setting 2.6NM                                                              | 3    |
| 11       | 229009   | BLANKING PLUG                                             |                                                                                   | 1    |
| 12       | 229073   | GEAR LOCKING PIN                                          |                                                                                   | 1    |
| 13       | 900396   | ADJUSTMENT GEAR SPACER                                    |                                                                                   | 2    |
| 14       | 227580   | HAND GRIP MOULDING                                        |                                                                                   | 2    |
| 15       | 229669   | LOLINE HANDLE CABLE CLAMP                                 |                                                                                   | 2    |
| 16       | 219493   | M6 NYLON WASHER                                           |                                                                                   | 1    |
| 17       | 219107   | NO6. 5/8 INCH LG.POZI-PAN-SCREW.Z/PL.PLASTITE             | Torque Setting 1.6NM                                                              | 6    |
| 18       | 219206   | M4 FORM A WASHER                                          |                                                                                   | 4    |
| 19       | 219036   | NO8 X 5/8 INCH LONG POZI PAN SELF TAPPING SCREW           | Torque Setting 2.6NM                                                              | 2    |
| 20       | 219805   | 4MM SPIREFIX                                              |                                                                                   | 1    |
| 21       | 219811   | NO8 X 1 INCH LONG POZI-PAN SELF TAP SCREW                 | Torque Setting 2.6NM                                                              | 2    |
| 22       | 20638V   | 19MM BLACK TUBE END STOP                                  |                                                                                   | 1    |
| 23       | 227585   | LEFT HAND SWITCH OPERATING LEVER MOULDING                 |                                                                                   | 1    |
| 24       | 227586   | RIGHT HAND SWITCH OPERATING LEVER MOULDING                |                                                                                   | 1    |
| 25       | 227587   | CENTRE SWITCH OPERATING LEVER MOULDING                    |                                                                                   | 1    |
| 26       | 219804   | SWITCH COMPRESSION SPRING                                 |                                                                                   | 1    |
| 27       | 219803   | TRIGGER COMPRESSION SPRING                                |                                                                                   | 2    |
| 28       | 338269   | CROSS TUBE                                                |                                                                                   | 1    |
| 29       | 229483   | SNAP ACTION SWITCH                                        |                                                                                   | 2    |
| 30       | 903547   | TRIGGER MOULDING (RED)                                    |                                                                                   | 2    |
| 31       | 219764   | M6 STAINLESS STEEL DOME NUT                               |                                                                                   | 4    |
| 32       | 229138   | SPRING 15.85MM OD 76.5MM FREE LENGTH                      |                                                                                   | 1    |
| 33       | 900397   | MINI ADJUSTMENT GEAR                                      |                                                                                   | 1    |
| 34       | 219578   | M8 FORM A STAINLESS STEEL WASHER                          |                                                                                   | 6    |
| 35       | 219099   | M6 HALF NUT                                               |                                                                                   | 1    |
| 36       | 219922   | M8 X 50MM LONG SOCKET BUTTON HEAD STAINLESS STEEL BOLT    |                                                                                   | 3    |
| 37       | 291150   | NO6 X 1 INCH LONG POZI PAN SCREW S/S                      | Torque Setting 1.6NM                                                              | 1    |
| 38       | 903260   | M8 BOLT AND NUT CAP                                       |                                                                                   | 2    |
| 39       | 229099   | 25MM DIA HOLE PLUG                                        |                                                                                   | 1    |
| 40       | 219639   | M8 STAINLESS STEEL NYLON INSERT NUT                       | Torque Setting 8NM                                                                | 3    |
| 41       | 902353   | M6 EXTERNAL SHAKEPROOF WASHER STAINLESS STEEL             |                                                                                   | 4    |
| 42       | 219647   | M6 FORM G STAINLESS STEEL WASHER                          |                                                                                   | 8    |
| 43       | 219370   | NO8 X 5/8 INCH LONG PLASTITE STAINLESS STEEL SCREW        | Torque Setting 2.6NM                                                              | 12   |
| 44       | 227577   | REAR INNER HALF MOULDING(GRAPHITE TALC FILLED)            |                                                                                   | 1    |
| 45       | 227584   | INTERLOCK LEVER MOULDING                                  |                                                                                   | 1    |
| 46       | 227576   | TALC FILLED FRONT INNER HALF MOULDING                     |                                                                                   | 1    |
| 47       | 911543   | ASSEMBLY.1840 DISPLAY                                     |                                                                                   | 1    |
| 48       | 911348   | TTB 1840 36V CONTROL PANEL OVERLAY                        |                                                                                   | 1    |
| 49       | 911562   | TTB1840 36V FRONT COVER MOULDING                          |                                                                                   | 1    |
| 50       | 219407   | M4 X 16MM LONG POZI PAN COUNTERSUNK SCREW                 |                                                                                   | 2    |
| 51       | 208521   | NYLON WASHER 10.0 OD X 4.1 ID X 1.0MM                     |                                                                                   | 4    |
| 52       | 219083   | M4 NYLON INSERT NUT                                       | Torque Setting 1.6NM                                                              | 2    |
| 53       | 219688   | M4 FORM A STAINLESS STEEL WASHER                          |                                                                                   | 2    |
| 54       | 912496   | TTB1840 HANDLE REAR COVER - TELEMATICS                    | TELEMATICS/HOURS METER CONFIGURATION ONLY (914049/919641)                         | 1    |
| 55       | 912615   | TELEMATICS MODULE ASSEMBLY - GRAPHITE GREY                | TELEMATICS CONFIGURATION ONLY (914049)                                            | 1    |
|          | 919476   | Hours meter assembly - Graphite                           | HOURS METER CONFIGURATION ONLY (919641)                                           |      |
| 57       | 219369   | NO8 X 1 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW | Torque Setting 2.6NM<br>TELEMATICS/HOURS METER CONFIGURATION ONLY (914049/919641) | 4    |
| 58       | 914736   | TTB3045NX HANDLE FRONT LABEL                              | DOC-44472                                                                         | 1    |
| 59       | 912151   | ADHESIVE PAD - TELEMATICS                                 | TELEMATICS/HOURS METER CONFIGURATION ONLY (914049/919641)                         | 1    |
| 60       | 227579   | REAR COVER MOULDING                                       | STANDARD CONFIGURATION ONLY (913989)                                              | 1    |

## Numatic International Spare Parts

**Model No:** 650 TWINTEC ALUMINIUM FLOOR TOOL (38MM HOSE, RED TRIM, SERILOR BLADES)

NB: FOR WIRING SEE DRAWING: N/A

Internal Code: 903347  
PRO DRAWING: DRW-22621 ISS:A09  
27/03/2018



## Numatic International Spare Parts

**Model No:** 650 TWINTEC ALUMINIUM FLOOR TOOL (38MM HOSE, RED TRIM, SERILOR BLADES)

| ITEM: | PART No: | Description                                                                                               | Qty |
|-------|----------|-----------------------------------------------------------------------------------------------------------|-----|
| 1     | 208198   | (650MM SCRUB WIDTH) ALUMINIUM SQUEEGEE CASTING (38MM HOSE FITTING)                                        | 1   |
| 2     | 903345   | (650MM SCRUB WIDTH) RED BLADE HOLDER MOULDING (SLOPING PROFILE) (32MM & 38MM HOSE FITTING)                | 1   |
|       | 900518   | 650 REPLACEMENT SERILOR GREEN POLYURETHANE BLADES SET                                                     |     |
| 4     | 208970   | (650MM SCRUB WIDTH) REPLACEMENT (4.0MM / 35-45-35 SHORE A) REAR LAMINATED SERILOR POLY/BLADE (847MM LONG) | 1   |
| 5     | 208967   | (650MM SCRUB WIDTH) REPLACEMENT (3.2MM / 40 SHORE A) FRONT MONOLAYER SERILOR POLY/BLADE (819MM LONG)      | 1   |
| 6     | 903281   | M10 LOBE KNOB (RED)                                                                                       | 4   |
| 7     | 219899   | M10 SINGLE COIL STAINLESS STEEL WASHER                                                                    | 2   |
| 8     | 219933   | M6 X 35MM SOCKET BUTTON HEAD BOLT STAINLESS STEEL                                                         | 6   |
| 9     | 219647   | M6 FORM G STAINLESS STEEL WASHER                                                                          | 6   |
| 10    | 206953   | DETENT PINS                                                                                               | 4   |
| 11    | 219642   | M6 STAINLESS STEEL NYLON INSERT NUT                                                                       | 6   |
| 12    | 219909   | M10 X 25MM LONG HEXAGONAL STAINLESS STEEL SCREW                                                           | 2   |
| 13    | 237322   | RIGHT HAND FLOOR TOOL CLIP MOULDING                                                                       | 1   |
| 14    | 237323   | LEFT HAND FLOOR TOOL CLIP MOULDING                                                                        | 1   |
| 15    | 208796   | 4 INCH WHEEL                                                                                              | 2   |
| 16    | 229175   | CONICAL SPRING                                                                                            | 2   |
| 17    | 907759   | 50MM DIAMETER GREY TPR TYRED SWIVEL CASTOR C/W M10 X 60 SWAGED STEM.                                      | 2   |
| 18    | 219891   | 13MM WAVEY WASHER                                                                                         | 2   |
| 19    | 906860   | ADJUSTABLE FLOOR TOOL CASTOR PLASTIC PLATE LEFT                                                           | 1   |
| 20    | 906859   | ADJUSTABLE FLOOR TOOL CASTOR PLASTIC PLATE RIGHT                                                          | 1   |
| 21    | 291124   | M10 PENNY WASHER STAINLESS STEEL                                                                          | 2   |
| 22    | 219951   | A4 (STAINLESS STEEL) M10 HEX LOCK NUT (HALF NUT)                                                          | 2   |

**Model No:** TTB 3045 NX BRUSH DECK EXPLODED DRAWING

913986  
DRAWING: DRW-36512 ISS:A03  
08/09/2022



| ITEM: | PART No: | DESCRIPTION                                                 | COMMENTS             | QTY. |
|-------|----------|-------------------------------------------------------------|----------------------|------|
| 1     | 229258   | TT 345 GRAPHITE BASE MOULDING                               |                      | 1    |
| 2     | 206013   | BUFFER WHEEL PIN                                            |                      | 2    |
| 3     | 219644   | M5 FORM G STAINLESS STEEL WASHER                            |                      | 4    |
| 4     | 291132   | M5 X 16MM LONG STAINLESS STEEL POZI PAN SEMS SCREW          | Torque Setting 2.6NM | 4    |
| 5     | 229644   | 450MM DIAMETER SPLASH SKIRT MOULDING                        |                      | 1    |
| 6     | 219890   | M4 X 12MM LONG POZI PAN STAINLESS STEEL SCREW               | Torque Setting 2.6NM | 4    |
| 7     | 291145   | M4 SHAKEPROOF WASHER STAINLESS STEEL                        |                      | 2    |
| 8     | 237380   | AMER MOTOR COVER                                            |                      | 1    |
| 9     | 913100   | AMER MOTOR DCM-4222 36V PMDC 16:1                           |                      | 1    |
| 10    | 914306   | TTB3045 NX 36V AMER MOTOR ADAPTOR PLATE PAINT SILVER GREY   |                      | 1    |
| 11    | 208727   | DRIVE SHAFT                                                 |                      | 1    |
| 12    | 291079   | 6MM X 30MM STAINLESS STEEL ROLL PIN                         |                      | 1    |
| 13    | 219647   | M6 FORM G STAINLESS STEEL WASHER                            |                      | 8    |
| 14    | 902353   | M6 EXTERNAL SHAKEPROOF WASHER STAINLESS STEEL               |                      | 8    |
| 15    | 219719   | M6 X 16MM LONG HEXAGONAL STAINLESS STEEL HEAD BOLT          | Torque Setting 8NM   | 8    |
| 16    | 230207   | DIE CAST CHUCK MACHINED                                     |                      | 1    |
| 17    | 230048   | 26MM EXTERNAL CIRCLIP                                       |                      | 1    |
| 18    | 291127   | M6 X 35 LONG HEX BOLT STAINLESS STEEL                       | Torque Setting 8NM   | 4    |
| 19    | 219870   | M6 FORM A WASHER STAINLESS STEEL                            |                      | 4    |
| 20    | 208011   | MOTOR MOUNTING SPACER                                       |                      | 4    |
| 21    | 206236   | PIVOT PIN                                                   |                      | 2    |
| 22    | 392248   | DECK MOUNT BRACKET                                          |                      | 1    |
| 23    | 219606   | BRACKET SPACER                                              |                      | 4    |
| 24    | 204021   | 12.7MM STAINLESS STEEL HUB CAP                              |                      | 2    |
| 25    | 204068   | 3 INCH GREY WHEEL                                           |                      | 4    |
| 26    | 392249   | DECK MOUNT RH                                               |                      | 1    |
| 27    | 219639   | M8 STAINLESS STEEL NYLON INSERT NUT                         | Torque Setting 8NM   | 2    |
| 28    | 915039   | SOLENOID CABLE & FERRITE ASSEMBLY                           |                      | 1    |
| 29    | 902556   | SOLENOID MOUNT MOULDING                                     |                      | 1    |
| 30    | 219687   | M4 STAINLESS STEEL NYLON INSERT NUT                         |                      | 2    |
| 31    | 219345   | 12MM EXTERNAL CIRCLIP                                       |                      | 2    |
| 32    | 229382   | REAR WHEEL PIN                                              |                      | 2    |
| 33    | 229128   | PLUNGER MOULDING BLACK                                      |                      | 1    |
| 34    | 219394   | COMPRESSION SPRING                                          |                      | 1    |
| 35    | 223242   | PLUNGER MOUNTING PLATE MOULDING                             |                      | 1    |
| 36    | 219569   | No8 X 1/2 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW | Torque Setting 2.6NM | 4    |
| 37    | 219642   | M6 STAINLESS STEEL NYLON INSERT HALF NUT                    | Torque Setting 8NM   | 4    |
| 38    | 229025   | STANDARD GROMMET                                            |                      | 4    |



**MILESTONE**  
we have the solutions

**Drew Abrahamson** Machinery Specialist  
0413 157 833 (08) 8186 4999  
d.abrahamson@milestonechemicals.com.au